

## Nº 45255

## APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	of filing in State Engineer's Office JAN-2-1-1982 NEW PRIORITY DATE: JAN 19 1999
Retu	rned to applicant for correction
Cor	rected application filed
Мар	JUN 5 1979 under 38269
	The applicant Comstock Enterprises Inc
	P.O. Box 718 , of Carson City Nev.
••	Street and No. or P.O. Box No. City or Town
	89701 , hereby make application for permission to appropriate the public State and Zip Code No.
	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion;	; if a copartnership or association, give names of members.) 1969 State of Nevada
1.	The source of the proposed appropriation is underground  Name of stream, lake, spring, underground or other source
_	0.50 second foot
2.	The amount of water applied for is 0.50  One second-foot equals 448.83 gals. per min.
	(a) It stored in reservoir give number of acre-feet
3.	The water to be used for COMMENCIAL  Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4.	If use is for:
	(a) Irrigation, state number of acres to be irrigated:
	(b) Stockwater, state number and kinds of animals to be watered:
	(c) Other use (describe fully under "No. 12. Remarks".
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream.
5.	The water is to be diverted from its source at the following point: proposed well site bears South  Describe as being within a 40-acre subdivision of public
	39 <sup>0</sup> 15' 35" East 535 feet from the north ½ corner of section 18, Township 10 survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
	North, Range 22 East M.DM and is situate in Northwest ½ of the Northeast ½ of said Section 18
6.	Place of use is a portion of the Northwest 1/4 of the Northeast 1/5 of Section 18.  Describe by legal subdivision. If on unsurveyed land, it should be so stated.
	Township 10 North, Range 22 East, MDM. or 2 acres north on map with 2 acres
	and permit No. 38269
7.	Use will begin about January 1 and end about December 31, of each year.  Month and Day Month and Day
8.	Month and Day  Month and Day  Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
٥.	specifications of your diversion or storage works.) well and pump  State manner in which water is to be diverted, i.e. diversion structure, ditches and
	flumes, drilled well with pump and motor, etc.
9.	Estimated cost of works \$10,000

	Estimated time required to complete the app	plication of water to beneficial use 5 years	
12.	2. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.		
	See map with permit No. 38269		
		•••••••••••••••••••••••••••••••••••••••	
		By s/Julius Bunkowski P.O. Box 718	
Con	pared js/ja ab/se	Carson City, Nev. 89702	
Prot	ested	······································	
	APPROVAT	LOF STATE ENGINEER	
follo	This is to certify that I have examined the wing limitations and conditions:	foregoing application, and do hereby grant the same, subject to the	
two	(2) inch opening for measuring	c water level. This well shall be equipped with g depth to water. If the well is flowing, a valv	
instact metal Compostation use	called and maintained in the curate measurements must be kept of the must be installed before pletion of Work is filed. This stee Engineer, pursuant to NRS 534, of the water herein granted at a	d to prevent waste. A totalizing meter must he discharge pipeline near the point of diversion and of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of source is located within an area designated by the .030. The State retains the right to regulate the any and all times. It did the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of th	
ins accommete Comp Sta- use publication	called and maintained in the curate measurements must be kept of the must be installed before pletion of Work is filed. This see Engineer, pursuant to NRS 534, of the water herein granted at a This permit does not extendic, private or corporate lands.	discharge pipeline near the point of diversion are of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of source is located within an area designated by the 1030. The State retains the right to regulate the any and all times.	
ins accomment Comp Star use publication (COI	called and maintained in the curate measurements must be kept of the must be installed before pletion of Work is filed. This stee Engineer, pursuant to NRS 534, of the water herein granted at a This permit does not extendic, private or corporate lands. WTINUED ON PAGE 2)  amount of water to be appropriated shall be	discharge pipeline near the point of diversion and of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of source is located within an area designated by the .030. The State retains the right to regulate the any and all times.  If the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of the righ	
instact meto Comp Statuse publication (COM) The not to	called and maintained in the carate measurements must be kept of the must be installed before pletion of Work is filed. This state Engineer, pursuant to NRS 534, of the water herein granted at a This permit does not extendic, private or corporate lands. NTINUED ON PAGE 2)  amount of water to be appropriated shall be o exceed	discharge pipeline near the point of diversion are of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of source is located within an area designated by the .030. The State retains the right to regulate the any and all times.  If the permittee the right of ingress and egress of the designation of the permittee the right of the permittee the right of the amount which can be applied to beneficial use, and	
instact Comp Statuse publication (COI The not to the contract	called and maintained in the curate measurements must be kept of the must be installed before pletion of Work is filed. This stee Engineer, pursuant to NRS 534, of the water herein granted at a This permit does not extendic, private or corporate lands. WTINUED ON PAGE 2)  amount of water to be appropriated shall be o exceed	discharge pipeline near the point of diversion are of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of source is located within an area designated by the .030. The State retains the right to regulate the any and all times.  If the permittee the right of ingress and egress of the permittee the right of ingress and egress of the color of the amount which can be applied to beneficial use, and color of the color of	
instaction meter composition with the composition of the composition o	called and maintained in the curate measurements must be kept of the must be installed before pletion of Work is filed. This stee Engineer, pursuant to NRS 534, of the water herein granted at a This permit does not extendic, private or corporate lands. WIINUED ON PAGE 2)  amount of water to be appropriated shall be o exceed	discharge pipeline near the point of diversion are of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of source is located within an area designated by the .030. The State retains the right to regulate the any and all times.  If the permittee the right of ingress and egress of the permittee the right of ingress and egress of the control of the amount which can be applied to beneficial use, and control of the control of the control of the exceed 0.876.	
instaction meter Comp State use publication (COI The not to the contraction of the contra	called and maintained in the carate measurements must be kept of the result of the carate measurements must be kept of the caracter of work is filed. This state Engineer, pursuant to NRS 534, of the water herein granted at a This permit does not extend ic, private or corporate lands. WIINUED ON PAGE 2)  amount of water to be appropriated shall be one exceed	discharge pipeline near the point of diversion are of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of source is located within an area designated by the .030. The State retains the right to regulate the any and all times. In the permittee the right of ingress and egress of the permittee the right of ingress and egress of the cubic feet per second, but not to exceed 0.876 and the completed on or before.  May 28, 1993	
instact Metal Composition with the composition of t	talled and maintained in the carate measurements must be kept of the representation of Work is filed. This state Engineer, pursuant to NRS 534, of the water herein granted at a This permit does not extendic, private or corporate lands. WIINUED ON PAGE 2)  amount of water to be appropriated shall be one exceed	discharge pipeline near the point of diversion are of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of source is located within an area designated by the 030. The State retains the right to regulate the any and all times.  If the permittee the right of ingress and egress of the permittee the right of ingress and egress of the cubic feet per second, but not to exceed 0.876 are and be completed on or before.  May 28, 1993  June 28, 1993	
instaction metal Composition with the composition of the composition o	called and maintained in the carate measurements must be kept of the must be installed before pletion of Work is filed. This stee Engineer, pursuant to NRS 534, of the water herein granted at a This permit does not extendic, private or corporate lands. WIINUED ON PAGE 2)  amount of water to be appropriated shall be one exceed	discharge pipeline near the point of diversion are of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of Source is located within an area designated by the 1030. The State retains the right to regulate the any and all times. It is designated to the permittee the right of ingress and egress of the permittee the right of ingress and egress of the cubic feet per second, but not to exceed 0.876 area and be completed on or before.  May 28, 1993  June 28, 1993  May 28, 1994	
instaction meter Comp State use publication (COI The not to the Coin Processing App Processing Map	called and maintained in the carate measurements must be kept of the must be installed before pletion of Work is filed. This stee Engineer, pursuant to NRS 534, of the water herein granted at a This permit does not extendic, private or corporate lands. NTINUED ON PAGE 2)  amount of water to be appropriated shall be one exceed	discharge pipeline near the point of diversion are of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of Source is located within an area designated by the 1030. The State retains the right to regulate the any and all times. In the permittee the right of ingress and egress of the permittee the right of ingress and egress of the limited to the amount which can be applied to beneficial use, and the cubic feet per second, but not to exceed 0.876 and the completed on or before.  May 28, 1993  June 28, 1993  de on or before.  May 28, 1994  se shall be filed on or before.  June 28, 1994  se filed on or before.  N/A	
instaction meter Composition with the composition of the composition o	called and maintained in the carate measurements must be kept of the must be installed before pletion of Work is filed. This stee Engineer, pursuant to NRS 534, of the water herein granted at a This permit does not extendic, private or corporate lands. NTINUED ON PAGE 2)  amount of water to be appropriated shall be one exceed	discharge pipeline near the point of diversion are of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of source is located within an area designated by the 1030. The State retains the right to regulate the any and all times. In the permittee the right of ingress and egress of the permittee the right of ingress and egress of the cubic feet per second, but not to exceed 0.876.  The permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee to the amount which can be applied to beneficial use, and the permittee the permittee to the permittee the right of ingress and egress of the permittee t	
instaction metal Composition with the composition of the composition o	called and maintained in the carate measurements must be kept of the must be installed before pletion of Work is filed. This stee Engineer, pursuant to NRS 534, of the water herein granted at a This permit does not extendic, private or corporate lands. WIINUED ON PAGE 2)  amount of water to be appropriated shall be to exceed	discharge pipeline near the point of diversion are of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of Source is located within an area designated by the 1030. The State retains the right to regulate the any and all times. In the permittee the right of ingress and egress of the permittee the right of ingress and egress of the limited to the amount which can be applied to beneficial use, and the complete on or before.    May 28, 1993	
instacting the composition of th	called and maintained in the carate measurements must be kept of the must be installed before pletion of Work is filed. This stee Engineer, pursuant to NRS 534, of the water herein granted at a This permit does not extendic, private or corporate lands. NTINUED ON PAGE 2)  amount of water to be appropriated shall be one exceed	discharge pipeline near the point of diversion are of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of Source is located within an area designated by the 1030. The State retains the right to regulate the any and all times. It is designed to the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the permittee to beneficial use, and the permittee the permittee to beneficial use, and the permittee to beneficial use,	
instacting the composition of th	called and maintained in the carate measurements must be kept of the result of the water herein granted at a state of the water herein granted at a state, private or corporate lands. WINUED ON PAGE 2)  amount of water to be appropriated shall be conceed	discharge pipeline near the point of diversion are of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of source is located within an area designated by the .030. The State retains the right to regulate the any and all times. In the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the permittee to beneficial use, and the permittee to beneficial use, and the permittee to be end of the permittee the right of ingress and egress of the permittee the permittee to beneficial use, and the permittee the permittee the right of ingress and egress of the permittee the permittee the right of ingress and egress of the permittee the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the permittee the right of ingress and egress of the permittee the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of the permittee the	
instaction metal Composition with the composition of the composition o	called and maintained in the carate measurements must be kept of the result of the water herein granted at a state of the water herein granted at a state, private or corporate lands. WINUED ON PAGE 2)  amount of water to be appropriated shall be one exceed	discharge pipeline near the point of diversion are of water placed to beneficial use. The totalizing any use of water begins, or before the Proof of Source is located within an area designated by the 1030. The State retains the right to regulate the any and all times. In the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the right of ingress and egress of the permittee the permittee the permittee to the amount which can be applied to beneficial use, and the permittee t	

(PERMIT TERMS CONTINUED)

The total combined duty of water under Permits 38269 and 45255 shall not exceed 0.876 million gallons annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.